



Safety Data Sheet

Section 1: Identification

Product identifier

Product Name

- **Pennington Fast Acting Lime**

Synonyms

- 100517668; 100519383; UPC #: 0-21496-29766-6; UPC #: 0-21496-29798-9

Product Description

- Light brown granule.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

- Lime soil amendment.

Restrictions on use

- Avoid contact with eyes and skin. Keep out of the reach of children. Avoid breathing dust.

Details of the supplier of the safety data sheet

Manufacturer

- Central Garden & Pet, Garden Division
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
United States

www.pennington.com

Emergency telephone number

Manufacturer

- 1-800-265-0761

Manufacturer (Transportation)

- 1-800-424-9300 - CHEMTREC

Manufacturer (Transportation)

- 1-703-527-3887 - CHEMTREC - Outside US Collect Calls Accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

- Carcinogenicity 1A
Specific Target Organ Toxicity Repeated Exposure 1

Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- May cause cancer.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** • Do not breathe dust, fume, gas, mist, vapors and/or spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not handle until all safety precautions have been read and understood.
Obtain special instructions before use.
- Response** • IF exposed or concerned: Get medical advice/attention.
Get medical advice/attention if you feel unwell.
- Storage/Disposal** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Store locked up.

Other hazards**OSHA HCS 2012**

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients**Substances**

- Material does not meet the criteria of a substance.

Mixtures

Composition		
Chemical Name	Identifiers	%
Limestone	CAS:1317-65-3	97.5%
Lignosulfonate	CAS 8061-52-7	2%
Anionic Polyacrylamide	CAS 9003-05-8	0.5%
Silica, crystalline - quartz	CAS:14808-60-7	0.1% TO 1.5%

Section 4: First-Aid Measures**Description of first aid measures****Inhalation**

- IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or doctor if you feel unwell.

Skin

- IF ON SKIN: Wash skin with soap and water.

Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion

- IF SWALLOWED: Call a poison control center or physician for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed to do so by poison control or physician. Do not give anything by mouth to

an unconscious person.

Most important symptoms and effects, both acute and delayed

- May cause cancer. Repeated or prolonged exposure causes damage to organs - lungs. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • Use water, foam, carbon dioxide, or dry chemical.

Unsuitable Extinguishing Media • None known.

Firefighting Procedures • No data available.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Material is non-combustible and is not expected to pose a fire or explosion hazard.

Hazardous Combustion Products • Non-combustible.

Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions • Avoid dust formation and breathing dust. Use appropriate Personal Protective Equipment (PPE).

Emergency Procedures • No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

Environmental precautions

- Do not allow runoff into water, storm drains or drainage ditches.

Methods and material for containment and cleaning up

Containment/Clean-up Measures • Sweep or scoop up spills, dispose of any unusable material in approved landfill.

Section 7 - Handling and Storage

Precautions for safe handling

Handling • Use good safety and industrial hygiene practices. Avoid contact with skin or eyes. Wash thoroughly with soap and water after handling. Avoid breathing dust.

Conditions for safe storage, including any incompatibilities

Storage

- Store in cool, dry, secure place. Keep out of reach of children. Store locked up.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines • No data available.

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Silica, crystalline - quartz (14808-60-7)	TWAs	0.025 mg/m ³ TWA (respirable fraction)	0.05 mg/m ³ TWA (respirable dust)	0.05 mg/m ³ TWA (respirable dust)
Limestone (1317-65-3)	TWAs	Not established	10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust)	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)

Exposure Limits Supplemental OSHA

•Silica, crystalline - quartz (14808-60-7): **Mineral Dusts:** ((30)/(%SiO₂ + 2) mg/m³ TWA, total dust; (250)/(%SiO₂ + 5) mppcf TWA

Exposure controls

Engineering Measures/Controls

- Use only with adequate ventilation to keep exposures (airborne levels of dust) below recommended exposure limits.

Personal Protective Equipment

Pictograms



Respiratory

- If airborne dust is present or in case of inadequate ventilation, use appropriate NIOSH approved respiratory protection.

Eye/Face

- Wear safety glasses.

Hands

- Wear appropriate gloves.

Skin/Body

- If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

Environmental Exposure Controls

- No data available

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Light brown granule.
Color	Light brown.	Odor	Mineral
Odor Threshold	No data available		
General Properties			
Boiling Point	Not relevant	Melting Point/Freezing Point	No data available

Decomposition Temperature	No data available	pH	Neutral
Specific Gravity/Relative Density	2.7 to 2.9 Water=1	Water Solubility	Soluble
Viscosity	Not relevant		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0
VOC (Vol.)	0		
Flammability			
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Heat of Combustion (ΔH_c)	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

- Non-reactive under normal handling and storage conditions.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Strong oxidizers. Strong acids.

Incompatible materials

- Strong oxidizers. Strong acids.

Hazardous decomposition products

- Thermal decomposition may produce: calcium oxide, nitrogen oxides, carbon oxides, sulfur oxides, and hydrogen cyanide.

Section 11 - Toxicological Information

Information on toxicological effects

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met
Skin sensitization	OSHA HCS 2012 • Classification criteria not met

Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1

Medical Conditions Aggravated by Exposure Potential Health Effects Inhalation

Acute (Immediate)

- Respiratory problems may be aggravated by inhalation of nuisance dust.

- Acute Silicosis can occur with exposures to very high concentrations of respirable crystalline silica over a very short time period, sometimes as short as a few months. The symptoms of acute silicosis include progressive shortness of breath, fever, cough and weight loss. Exposure to dust may cause mild respiratory irritation. Coughing, sneezing, or shortness of breath may occur following exposures in excess of exposure limits.

Chronic (Delayed)

- Repeated and prolonged exposure may cause irritation and/or lung damage - silicosis, fibrosis, inflammation, cancer.

Skin

Acute (Immediate)

- Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

- No data available

Eye

Acute (Immediate)

- Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

- No data available

Ingestion

Acute (Immediate)

- May be harmful if swallowed. May cause gastrointestinal tract irritation, weakness, or headache. Intestinal obstruction may occur if the material hardens.

Chronic (Delayed)

- No data available

Mutagenic Effects

- Not classified.

Carcinogenic Effects

- Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects			
	CAS	IARC	NTP
Silica, crystalline - quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

Reproductive Effects

- Not classified.

Section 12 - Ecological Information

Toxicity

- No data available

Persistence and degradability

- No data available.

Bioaccumulative potential

- No data available.

Mobility in Soil

- No data available.

Other adverse effects

Potential Environmental Effects

- No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user

- None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- No data available

Other information

IMO/IMDG • No data available

IATA/ICAO • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Chronic

Inventory		
Component	CAS	TSCA
Limestone	1317-65-3	Yes
Silica, crystalline - quartz	14808-60-7	Yes

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Limestone	1317-65-3	Not Listed carcinogen, initial date 10/1/88
• Silica, crystalline - quartz	14808-60-7	(airborne particles of respirable size)

Section 16 - Other Information

- Revision Date** • 31/August/2016
- Last Revision Date** • 31/August/2016
- Preparation Date** • 31/August/2016
- Disclaimer/Statement of Liability** • The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. **NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.**